AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings of claims in the application:

LISTING OF CLAIMS:

- 1.(original) Pharmaceutical, cosmetic, dietetic or nutraceutical compositions comprising:
 - visnadin or esculoside;
- at least one compound selected from icarin or derivatives thereof or extracts containing it, *Gingko biloba* dimeric flavones either in the free form or complexed with phospholipids, amentoflavone;
- at least one compound selected from escin, escin betasitosterol complexed with phospholipids, sericoside,
 sericoside complexed with phospholipids or *Centella asiatica*extract in the free form or complexed with phospholipids.
- 2.(original) Compositions as claimed in claim 1, having the following concentration ranges by weight:
 - Visnadin or esculoside : 0.05-2%;
 - -amentoflavone or *Gingko biloba* dimeric flavones in the free form or complexed with phospholipids: 0.1-1%;
 - icarin or derivatives thereof or extracts containing
 it: 0.1-1%;

- Escin, escin beta-sitosterol complexed with phospholipids, sericoside, sericoside complexed with phospholipids or *Centella asiatica* extract in the free form or complexed with phospholipids: 0.5%-2%.
- 3. (currently amended) Compositions as claimed in claim 1 [[or 2]], in which icarin derivatives comprise 7-hydroxyethyl-icarin, 7-ethylamino-icarin, 7-aminoethyl-icarin, 7-hydroxyethyl-3-0-rhamnosyl-icarin, 7-aminoethyl-3-rhamnosyl-icarin, 8-dihydro-icarin and its glucosides in 7 and 3, and 7-hydroxyethyl-7-desglucoicarin.
- 4. (currently amended) Compositions as claimed in <u>claim 1</u> any one of claims 1-3, in the form of creams, gel, lotions, milk.
- 5. (original) A composition as claimed in claim 1, containing Visnadin.
- 6.(original) A composition as claimed in claim 1, containing Visnadin, 7-hydroxyethyl-7-desgluco-iarin, amentoflavone and escin.
- 7. (original) A composition as claimed in claim 1, containing esculoside, icarin, amentoflavone, escin.
- 8. (original) A composition as claimed in claim 1 containing Visnadin, 7-hydroxyethyl-7-desgluco-icarin, *Gingko biloba* dimers in the free form or complexed with phospholipids.

- 9. (original) A composition as claimed in claim 1 containing Visnadin, *Gingko biloba* dimers complexed with phospholipids, escin beta-sitosterol complexed with phospholipids.
- 10.(original) A composition as claimed in claim 1 containing esculoside, *Gingko biloba* dimers complexed with phospholipids, escin beta-sitosterol complexed with phospholipids.
- 11. (currently amended) Method for the treatment of The use of a combination of:

panniculopathy and of the problems connected with venous insufficiency of the lower limbs, which comprises administering to a subject in need thereof, an effective amount of the composition of claim 1.

- visnadin or esculoside;

-at least one compound selected from icarin or

derivatives thereof or extracts containing it, Gingko

biloba dimeric flavones either in the free form or

complexed with phospholipids; amentoflavone;

-at least one compound selected from escin, escin beta
sitosterol complexed with phospholipids, sericoside,

sericoside complexed with phospholipids or Centella

asiatica extract in the free form or complexed with

phospholipids.

For the preparation of a composition for the treatment of panniculopathy and of the problems connected with venous insufficiency of the lower limbs.

- 12. (new) Method for the preparation of a composition for the treatment of panniculopathy and of the problems connected with venous insufficiency of the lower limbs, which comprises admixing:
 - visnadin or esculoside;
 - at least one compound selected from icarin or derivatives thereof or extracts containing it, Gingko biloba dimeric flavones either in the free form or complexed with phospholipids; amentoflavone;
 - at least one compound selected from escin, escin betasitosterol complexed with phospholipids, sericoside, sericoside complexed with phospholipids or *Centella* asiatica extract in the free form or complexed with phospholipids.